

Contents

List of publications	i
Acknowledgement	ii
Abstract	iii
1 Introduction	1
1.1 Quantum spin liquid and the Kitaev model	1
1.2 Jackeli-Khaliullin mechanism	3
1.3 d -electron based Kitaev-type magnets	7
1.4 Purpose of this thesis	9
1.5 Organization of this thesis	10
2 Method	11
2.1 <i>Ab initio</i> calculations	11
2.1.1 Density functional theory	11
2.1.2 Maximally-localized Wannier function	13
2.2 Multiorbital Hamiltonian	15
2.3 Lea-Leask-Wolf parameterization scheme	17
2.4 Low-energy effective pseudospin Hamiltonian	18
2.5 Lanczos diagonalization method	19
3 Kramers doublets in rare-earth compounds	21
3.1 Introduction to this chapter	21
3.2 Multiplet splitting	21
3.3 Candidate materials	29
3.4 Summary of this chapter	32
4 Quasi-two-dimensional honeycomb magnets $A_2\text{PrO}_3$	33
4.1 Introduction to this chapter	33
4.2 Details of <i>ab initio</i> calculations	33
4.3 Lattice structures	34
4.4 Electronic structures	36
4.5 Transfer integrals and spin-orbit coupling	40
4.6 Effective exchange couplings	43
4.7 Decomposition into different perturbation processes	45

4.8	Possible magnetic ground states	49
4.9	Summary of this chapter	51
5	Three-dimensional hyperhoneycomb β-Na₂PrO₃	53
5.1	Introduction to this chapter	53
5.2	Details of <i>ab initio</i> calculations	53
5.3	Lattice structure	53
5.4	Electronic structure	55
5.5	Transfer integrals	57
5.6	Effective exchange couplings	58
5.7	Decomposition into different perturbation processes	58
5.8	Summary of this chapter	61
6	Summary	62
A	Structural comparison for Li₂PrO₃ polymorphs	65
B	Maximally-localized Wannier functions projected onto 4f orbitals	67
C	Details of second-order perturbation expansion	69
D	Other approaches to effective exchange couplings	71